



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/517,689	12/10/2004	Nora Brambilla	DE 020157	3098

24737 7590 08/16/2006

PHILIPS INTELLECTUAL PROPERTY & STANDARDS
P.O. BOX 3001
BRIARCLIFF MANOR, NY 10510

EXAMINER

LE, TUNG X

ART UNIT	PAPER NUMBER
----------	--------------

2821

DATE MAILED: 08/16/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/517,689

Applicant(s)

BRAMBILLA ET AL.

Examiner

Tung X. Le

Art Unit

2821

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on amendment received 07/27/06.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date: _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

Claim Objections

2. Claims 8, 12 and 15 are objected to because of the following informalities:

Claim 8, line 1, "claim 5" should be changed to --claim 6--.

Claim 12, lines 1-2, "wherein the second printed wiring structures" should be changed to --wherein the first and second printed wiring structures--.

Claim 15, line 4, "second wires" should be changed to --second printed wires--.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-14 and 16-17 are rejected under 35 U.S.C. 102(b) as being anticipated by Jiang et al. (U.S. 2002/0027527 A1).

With respect to claim 1, Jiang discloses in figure 1 an antenna (100) having a dielectric substrate (9) having two larger end faces (the top face and the bottom face)

Art Unit: 2821

and four smaller end faces (four side faces of the antenna [100]) and two resonant printed wiring structures (107-108) for use in high-frequency and microwave range, a first printed wiring structure (107) being arranged on one end face (on left side of the antenna [100]) of the substrate (9) along a first edge (the left side edge) and a second printed wiring structure (108) on an opposite (on the right side of the antenna [100]), second edge (the right side edge) of the same end face (facing to [Ref. Line A]), wherein each of the first and second printed wiring structures includes a first printed wire (7a) on the end face extending from a first one of the side faces to a second one of the side faces along one of the edges of the end face (see the first structure [107]), a second printed wire (5a and 5c) disposed on the end face in parallel to and spaced apart from the first printed wire (see the first structure [107]), and also extending from the first side face to the second side face (see figure 1), and a third printed wire (6a) disposed on the end face extending between the first printed wire and the second printed wire perpendicularly to the first and second printed wires to connect the first printed wire to the second printed wire (figure 1).

With respect to claim 2, Jiang discloses that the second printed wiring structure (108) being equal to the first printed wiring structure (107) as regards shape and size (see figure 1).

With respect to claim 3, Jiang discloses that the substrate (9) is in essence rectangular (figure 1) and four smaller end faces (four side faces of the antenna [100]) and in that the first and second printed structures being deposited on a first end face

(the left end face) and stretch out from a first to a second, opposite side face along the edge (see figure 1).

With respect to claim 4, Jiang discloses that the first and second printed wiring structures (107-108) have the form of a rectangular face (see figure 1).

With respect to claim 12, Jiang discloses that the first and second printed wiring structures (107-108) are mirrored on the first end face (see figure 1).

With respect to claim 13, Jiang discloses that a printed wiring board (11) on which an antenna (100) as defined is arranged (see figure 2).

With respect to claim 14, Jiang discloses a radio communication device using for the GPS, DCS/PCS, UMTS and Bluetooth domain characterized by an antenna (see paragraph [0003]).

With respect to claim 5, Jiang discloses in figure 1 an antenna (100) having a dielectric substrate (9) and two resonant printed wiring structures (107-108), a first printed wiring structure (107) being arranged on one end face (on left end face side of the antenna [100]) of the substrate along a first edge (on the left side) and a second printed wiring structure (108) on an opposite (on right end face side of the antenna [100]), second edge of the same face (see figure 1), wherein the substrate (9) is in essence rectangular (figure 1) having two larger end faces (the top face and the bottom face) and four smaller end faces (left, right, front, back faces of the antenna [100]) and in that the first and second printed wiring structures are deposited on a first end face (at Ref. Line A) and stretch out from a first to a second (figure 1), opposite side face along the edge (figure 1), and wherein each printed wiring structure is subdivided into three

Art Unit: 2821

printed wires where a first printed wire (7a) stretches out from the first to the second side face along the edge (see [107]), a second printed wire (108) stretches out from the second to the first end face (see [108]), and a third printed wire (6a) is connected to the first printed wire and the first printed wire is connected to the second printed wire (see figure 1).

With respect to claim 6, Jiang discloses that a fourth printed wire (6c) is connected to the second printed wire (figure 1).

With respect to claim 7, Jiang discloses that the first and second printed wires (7a and [5a and 5c]) are equally long (figure 1).

With respect to claim 8, Jiang discloses that the third and fourth printed wires (6a and 6c) are equally long (figure 1).

With respect to claim 9, Jiang discloses in figure 1 that the first and second printed wires (7a and [5a and 5c]) are longer than the third and fourth printed wires (6a and 6c).

With respect to claim 10, Jiang discloses in figure 1 that the fourth printed wire (6c) runs along an edge of the first end face (facing to the [Ref. Line A]).

With respect to claim 11, Jiang discloses that the first and third printed wires (7a and 6a) are arranged perpendicular to the second and fourth printed wires (figure 1).

With respect to claim 16, Jiang discloses in figures 1-2 a printed circuit board assembly (11) comprising a printed circuit board (9), and an antenna (100) mounted on the printed circuit board (11), the antenna including a dielectric substrate (9) having two larger end faces (one top face and one bottom face) and four smaller end faces (four

side faces of left, right, front, and back side faces of the antenna [100]) and two resonant printed wiring structures (107-108), adapted for use in high frequency and microwave range, a first printed wiring structure (107) being arranged on one end face of the substrate along a first edge and a second printed wiring structure (108) on an opposite (on the right side of the antenna), second edge of the same end face (figure 1), wherein each of the first and second printed wiring structures includes, a first printed wire (7a) disposed on the one end face extending from a first one of the side faces to a second one of the side faces along one of the edge of the end face (see figure 1), a second printed wire (5a and 5c) disposed on the one end face in parallel to and spaced apart from the first printed wire, and also extending from the first side face to the second side face (figure 1), and a third printed wire (6a) disposed on the one end face extending between the first printed wire and the second printed wire perpendicularly to the first and second printed wires to connect the first printed wire to the second printed wire (see figure 1).

With respect to claim 17, Suganthan discloses that the first and second printed wiring structures comprises silver paste (inherently), and wherein the antenna is mounted on the printed circuit board (11) such that the one end face of the antenna on which are disposed the first and second printed structures (107-108) is disposed directly on and immediately adjacent to the printed wiring board (see figures 1-2).

5. Claims 1, 15-16 and 18 are rejected under 35 U.S.C. 102(e) as being anticipated by Suganthan et al. (U.S. 6,791,506 B2).

With respect to claim 1, Suganthan discloses in figure 1 below an antenna (100) having a dielectric substrate (10) having two larger end faces (the top face and the bottom face) and four smaller end faces (four side faces of the antenna [100]) and two resonant printed wiring structures ([a-d] and [a'-d']) for use in high-frequency and microwave range, a first printed wiring structure (a-d) being arranged on one end face (on left side of the antenna [100]) of the substrate (10) along a first edge (figure 1) and a second printed wiring structure (a'-d') on an opposite (on the right side of the antenna [100]), second edge (figure 1) of the same end face, wherein each of the first and second printed wiring structures includes a first printed wire (a) on the end face extending from a first one of the side faces to a second one of the side faces along one of the edges of the end face (see the first structure [a-d]), a second printed wire (b) disposed on the end face in parallel to and spaced apart from the first printed wire (see the first structure [a-d]), and also extending from the first side face to the second side face (see figure 1), and a third printed wire (c) disposed on the end face extending between the first printed wire and the second printed wire perpendicularly to the first and second printed wires to connect the first printed wire to the second printed wire (figure 1).

With respect to claim 15, Suganthan discloses in figure 1 below that each of the first and second printed wiring structures ([a-d] and [a'-d']) further includes a fourth printed wire (d) disposed on the one end face (on the left and right sides of the antenna), and being connected to one of the first and second printed wires ([a] and [b]) and not connected to the other of the first and second wires ([a] and [b]).

With respect to claim 16, Suganthan discloses in figure 1 below a printed circuit board assembly comprising a printed circuit board (the printed circuit board built on the substrate [10]), and an antenna (100) mounted on the printed circuit board, the antenna including a dielectric substrate (10) having two larger end faces (one top face and one bottom face) and four smaller end faces (four side faces of left, right, front, and back side faces of the antenna [100]) and two resonant printed wiring structures ([a-d] and [a'-d']), adapted for use in high frequency and microwave range, a first printed wiring structure (a-d) being arranged on one end face of the substrate along a first edge and a second printed wiring structure (a'-d') on an opposite (on the right side of the antenna), second edge of the same end face (figure 1), wherein each of the first and second printed wiring structures includes, a first printed wire (a) disposed on the one end face extending from a first one of the side faces to a second one of the side faces along one of the edge of the end face (see figure 1), a second printed wire (b) disposed on the one end face in parallel to and spaced apart from the first printed wire, and also extending from the first side face to the second side face (figure 1), and a third printed wire (c) disposed on the one end face extending between the first printed wire and the second printed wire perpendicularly to the first and second printed wires to connect the first printed wire to the second printed wire (see figure 1).

With respect to claim 18, Suganthan discloses in figure 1 below that each of the first and second printed wiring structures ([a-d] and [a'-d']) further includes a fourth printed wire (d) disposed on the one end face (on the left and right sides of the

antenna), and being connected to one of the first and second printed wires ([a] and [b]) and not connected to the other of the first and second wires ([a] and [b]).




FIG. 1

Response to Arguments

6. Applicant's arguments with respect to claims 1-18 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Johnson et al. (U.S. 6,339,404 B1) discloses a diversity antenna system for lan communication system.

Hsieh (U.S. 2004/0036654 A1) discloses an antenna assembly for circuit board.

1. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tung X. Le whose telephone number is 571-272-6010.


The examiner can normally be reached on 8:30 AM - 5:30 PM.

Art Unit: 2821

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim Callahan can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Examiner
Tung Le
AU 2821

A handwritten signature in black ink, appearing to read 'Hoanganh Le', with a long, sweeping horizontal line extending to the left and a vertical line extending upwards to the right.

Hoanganh Le
Primary Examiner